MIRAPOL WT

PRODUCT DATA SHEET E 90004476 - June 2014

IDENTIFICATION

CATIONIC POLYMER

CAS N° 68555 - 36 - 2

SPECIFICATIONS

Appearance	Clear to cloudy amber viscous liquid	
Colour (Hazen)	1000 max.	AN3013
pH (10% aq. sol.)	7.5 – 8.5	AN3401
Actives (%)	62.0 min.	AN3150
Chloride (%)	11.0 – 13.0	AN3331
Water (K. Fischer) (%)	38.0 max.	AN3150
Turbidity Test (NTU)	3.0 max.	AN3900

TYPICAL PROPERTIES

Character Cationic

Density (g/cm³) 1.13

Solubility Readily soluble in water can be diluted in

amphoteric compounds.

Viscosity at 20°C (mPa.s) < 3000



For orders or questions, call us at the following numbers or visit us at www.rhodia-novecare.com

STANDARD APPLICATIONS

Dispersing agent.

Oilfield: Combined scale and corrosion inhibition. Demulsifier of high charge density.

STANDARD PACKAGING

4 Metal drums 200 Kg / Pal. 800 Kg

Plastic container 1000 L - 995 Kg / Pal.

SHELF LIFE

730 days

WARNING

The information contained in this document is given in good faith and based on our current knowledge. It is only an indication and is in no way binding, notably as regards infringement of or prejudice to third parties through the use of our products.

RHODIA GUARANTEES THAT ITS PRODUCTS COMPLY WITH ITS SALES SPECIFICATIONS.

This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for a given use.

Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations.

Users are requested to check that they are in possession of the latest version of the present document and RHODIA is at their disposal to supply any additional information.



For orders or questions, call us at the following numbers or visit us at www.rhodia-novecare.com